

Aluminum Nitride Ceramic Crucibles



Aluminum nitride ceramics exhibit exceptional characteristics, making them useful in various applications.

Unusually high thermal conductivity combined with good electrical insulation characteristics.

Exceptional stability when exposed to many molten salts.

Thermal stability up to at least 1800°C

Favorable mechanical characteristics extending into the high temperature range.

Low thermal expansion and resistance to thermal shock.

Special optical and acoustic characteristics.

Physical Properties

Flexural strength is $300 \pm 5 \text{ MPa}$

Coefficient of thermal expansion is $5.6 \times 10^{-6} \text{ K}^{-1}$ (20-1000°C)

Thermal conductivity is $100\text{-}200 \text{ Wm}^{-1}\text{K}^{-1}$

Insulation resistance is $>10^{12} \Omega\text{cm}$ (20°C)

46313	Aluminum nitride cover for crucible stock # 43350, 3mm thick
43790	Aluminum nitride cover for crucible stock # 43789, 5mm thick
43789	Aluminum nitride crucible, Cylindrical, Flat Base; Height x OD x ID (mm), 25 x 20 x 15; Vol(ml), 5

Алматы (7273)495-231
 Ангарск (3955)60-70-56
 Архангельск (8182)63-90-72
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Благовещенск (4162)22-76-07
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Владикавказ (8672)28-90-48
 Владимир (4922)49-43-18
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Коломна (4966)23-41-49
 Кострома (4942)77-07-48
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Курган (3522)50-90-47
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Ноябрьск (3496)41-32-12
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Петрозаводск (8142)55-98-37
 Псков (8112)59-10-37
 Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Саранск (8342)22-96-24
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Сургут (3462)77-98-35
 Сыктывкар (8212)25-95-17
 Тамбов (4752)50-40-97
 Тверь (4822)63-31-35

Тольятти (8482)63-91-07
 Томск (3822)98-41-53
 Тула (4872)33-79-87
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Улан-Удэ (3012)59-97-51
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Чебоксары (8352)28-53-07
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Чита (3022)38-34-83
 Якутск (4112)23-90-97
 Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://aesar.nt-rt.ru/> || arj@nt-rt.ru

Aluminum Nitride Ceramic Rods



Aluminum nitride ceramics exhibit exceptional characteristics, making them useful in various applications.

Unusually high thermal conductivity combined with good electrical insulation characteristics.

Exceptional stability when exposed to many molten salts.

Thermal stability up to at least 1800°C

Favorable mechanical characteristics extending into the high temperature range.

Low thermal expansion and resistance to thermal shock.

Special optical and acoustic characteristics.

Physical Properties

Flexural strength is 300 ± 5 MPa

Coefficient of thermal expansion is $5.6 \times 10^{-6} \text{K}^{-1}$ (20-1000°C)

Thermal conductivity is $100\text{-}200 \text{ Wm}^{-1}\text{K}^{-1}$

Insulation resistance is $>10^{12} \Omega\text{cm}$ (20°C)

42998

Aluminum nitride Rod, Round; Diameter (mm), 10

43000

Aluminum nitride Rod, Round; Diameter (mm), 22

Aluminum Nitride Paste



Aluminum nitride ceramics exhibit exceptional characteristics, making them useful in various applications.

Unusually high thermal conductivity combined with good electrical insulation characteristics.

Exceptional stability when exposed to many molten salts.

Thermal stability up to at least 1800°C

Favorable mechanical characteristics extending into the high temperature range.

Low thermal expansion and resistance to thermal shock.

Special optical and acoustic characteristics.

Physical Properties

Flexural strength is 300 ± 5 MPa

Coefficient of thermal expansion is $5.6 \times 10^{-6} \text{K}^{-1}$ (20-1000°C)

Thermal conductivity is $100-200 \text{Wm}^{-1}\text{K}^{-1}$

Insulation resistance is $>10^{12} \Omega\text{cm}$ (20°C)

43959

43959 Aluminum nitride paste

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://aesar.nt-rt.ru/> || arj@nt-rt.ru